

Author Index of Volume 32

- Abasher, M. E. E., 177
Andrieu, J., 311, 319
Anikeev, J. V., 45
- Bartelmus, G., 65
Berezowski, M., 345
Bier, W., 33
Bootsma, E. S., 53
Bos, A. N. R. I., 53
- Chaibi, A., 379
Chidambaram, M., 327
Chumachenko, V. A., 89
- Delmas, H., 149
Dittmeyer, R., 167
Dominguez, A., 277
- Elnashaie, S. S. E., 177
- Fateev, G. A., 191
Fieg, G., 283
Foeth, F., 53
Fuchs, S., 225
- Germerdonk, R., 359, 369
Gerner, J. W., 83
Gnielinski, V., 99
- Gosiewski, K., 111, 233
Gunn, D. J., 333
Gupta, B. B., 379
- Hahn, T., 225
Hayati, B., 253
Hofmann, H., 167
- Ityokumbul, M. T., 77
- Jaffrin, M. Y., 379
- Karcz, J., 349
Keller, W., 33
Khorfan, S., 273
Kim, W. K., 99
Kolev, N., 389
Kruse, Chr., 283
- Langenkamp, H., 9
Leichkis, I. M., 209, 301
Linder, G., 33
Lorenz, W. J., 261
- Madhavan, K. P., 327
Mahesh, M. M., 327
Martin, H., 33, 99
Matros, Yu. S., 89
- Miyahara, M., 291
- Nakov, S., 389
Navarri, P., 311, 319
Noskov, A. S., 89
Nymoene, H., 9
- Okazaki, M., 291
- Palosaari, S., 291
Parameswaran, M. A., 141
Paschke, A., 201
- Ram Gopal, M., 217
Ramakoteswara Rao, K., 141
Ramakrishnan, T., 141
Rene, F., 245
Reunanen, J., 291
Rodolphe, F., 245
- Samolyotov, V. M., 45
Schlunder, E. U., 13, 155, 161, 339
Schubert, K., 33
Schwarzbach, J., 13
Scott, K., 253
Seidel, D., 33
Sivakumar, S., 141
- Srinivasa Murthy, S., 217
Sleyster, H. W. J., 53
Stammer, A., 339
Staněk, V., 191
Stręk, F., 349
Syaiful, S., 149
- Tietz, M., 155, 161
Tojo, J., 277
Tutkun, O., 263
- van Velzen, D., 9
Vegyte, N., 191
Vorobjov, E. I., 45
Vychodil, P., 191
van der Wal, S., 83
- Walczyk, H., 131
Wang, A., 359, 369
Warmuziński, K., 345
Weber, M., 139
Westerink, E. J., 83
Westerterp, K. R., 1, 53, 83
Wilhelm, A. M., 149
Wolff, E., 245
Wozny, G., 283
- Zhu, J. Y., 167

Subject Index of Volume 32

- Absorption**
absorption of NO in aqueous solutions of Fe(II)EDTA:
determination of the equilibrium constant, 9
bubble column and three phase fluidized beds: a comparison of
axial dispersion and gas–liquid mass transfer by dynamic
absorption, 149
- Activated carbon regeneration**
pollutant adsorption during activated carbon and steam
regeneration in technical columns (experiment and modelling).
Part 1. Influence of radial maldistribution in activated carbon
beds during adsorption and desorption of air pollutants, 359
pollutant adsorption during activated carbon and steam
regeneration in technical columns (experiments, modelling).
Part 2. Influence of process parameters during steam
regeneration of activated carbon beds on pollutant exit
concentration, 369
- Additives**
through drying of paper. Part II. Additives in the air improve
product quality, 161
- Adiponitrile**
the influence of mass transfer on the electrochemical synthesis of
adiponitrile, 253
- Adsorption**
column adsorption in multi-solute water, 291
- Adsorption/desorption processes**
parametric studies on heat and mass transfer in metal hydride
beds, 217
- Agitated vessels**
experimental studies of power consumption for agitated vessel
equipped with non-standard baffles and high-speed agitator,
349
- Air-fin coolers**
enhancement of heat transfer from air-fin coolers with water
spray, 131
- Aqueous solution**
absorption of NO in aqueous solutions of Fe(II)EDTA:
determination of the equilibrium constant, 9
- ASOG**
analysis of a modification of the ASOG method for vapor–liquid
equilibrium prediction, 277
- Axial dispersion**
bubble column and three phase fluidized beds: a comparison of
axial dispersion and gas–liquid mass transfer by dynamic
absorption, 149
on axial dispersion in fixed beds, 333
- Back-mixing**
construction and application of a jet-stirred loop reactor, 225
- Batch reactor**
fuzzy control of a semi-batch copolymerization reactor, 327
- Bed entry**
the lumping of heat transfer parameters in cooled packed beds:
effect of the bed entry, 83
- Binary immiscible liquids**
condensation of vapours of binary immiscible liquids, 263
- Binary mixtures**
analysis of a modification of the ASOG method for vapor–liquid
equilibrium prediction, 277
fluidized bed drying of materials wetted with a binary liquid
mixture, 13
- Bubble column**
bubble column and three phase fluidized beds: a comparison of
axial dispersion and gas–liquid mass transfer by dynamic
absorption, 149
- Carbon monoxide oxidation**
construction and application of a jet-stirred loop reactor, 225
- Catalyst**
a kinetic study of the hydrogenation of ethyne and ethene on a
commercial Pd/Al₂O₃ catalyst, 53
- Catalytic incineration**
progress in *reverse-process* application to catalytic incineration
problems, 89
- Cold start-up**
dynamic modelling of industrial SO₂ oxidation reactors. Part I.
Model of ‘hot’ and ‘cold’ start-ups of the plant, 111
- Column flotation**
selection of recovery zone height in flotation column design, 77
- Condenser**
enhancement of heat transfer from air-fin coolers with water
spray, 131
- Control**
gas recycling as a means of controlling the operation of cyclones,
345
- Convective drying**
determination of local moisture profiles during microwave and
convective drying, 339
- Cyclone operation**
gas recycling as a means of controlling the operation of cyclones,
345
- Dedusting efficiency**
gas recycling as a means of controlling the operation of cyclones,
345
- Dense-phase pneumatic transport**
experimental investigations on dense-phase pneumatic transport
system, 141
- Dispersion**
on mass transfer, dispersion, and macroscopical flow
maldistribution in packed tubes. Part 1. Pressure drop and
loading point, 389
- Distillation columns**
experimental and theoretical studies of the dynamics of startup
and product switchover operations of distillation columns, 283
- Drying**
fluidized bed drying of materials wetted with a binary liquid
mixture, 13
high-intensity infrared drying study. Part 1. Case of
capillary-porous material, 311
high-intensity infrared drying study. Part 2. Case of thin coated
films, 319
- Dusty gas model**
steam reforming and methanation effectiveness factors using the
dusty gas model under industrial conditions, 177
- Dynamic modelling**
dynamic modelling of industrial SO₂ oxidation reactors. Part I.
Model of ‘hot’ and ‘cold’ start-ups of the plant, 111
dynamic modelling of industrial SO₂ oxidation reactors. Part II.
Model of a reverse-flow reactor, 233

- Dynamics**
 dynamics of filtration and expression: new methods for combined analysis and calculation of the processes with due account of the cake consolidation dynamics and the filter medium compressibility, 45
 experimental and theoretical studies of the dynamics of startup and product switchover operations of distillation columns, 283
- Electrochemical synthesis**
 the influence of mass transfer on the electrochemical synthesis of adiponitrile, 253
- Equilibria**
 absorption of NO in aqueous solutions of Fe(II)EDTA: determination of the equilibrium constant, 9
 analysis of a modification of the ASOG method for vapor-liquid equilibrium prediction, 277
 column adsorption in multi-solute water, 291
- Ethene**
 a kinetic study of the hydrogenation of ethyne and ethene on a commercial Pd/Al₂O₃ catalyst, 53
 mechanism and kinetics of the selective hydrogenation of ethyne and ethene, 1
- Ethyne**
 a kinetic study of the hydrogenation of ethyne and ethene on a commercial Pd/Al₂O₃ catalyst, 53
 mechanism and kinetics of the selective hydrogenation of ethyne and ethene, 1
- Eutectic composition**
 condensation of vapours of binary immiscible liquids, 263
- Expression**
 dynamics of filtration and expression: new methods for combined analysis and calculation of the processes with due account of the cake consolidation dynamics and the filter medium compressibility, 45
- Fast kinetics**
 parametric studies on heat and mass transfer in metal hydride beds, 217
- Fibrous material**
 gas pressure drop and heat dispersion in a layer of fibrous material, 191
- Filtration**
 breakdown of particles into flow during filtration on precoat filters, 209
 dynamics of filtration and expression: new methods for combined analysis and calculation of the processes with due account of the cake consolidation dynamics and the filter medium compressibility, 45
 filtration on precoat filters as a Markov process, 301
- Fixed bed**
 on axial dispersion in fixed beds, 333
- Fixed bed reactor**
 solid-liquid mass transfer in a fixed-bed reactor with concurrent flow. Part II. Mathematical analysis for the pulsed flow regime, 65
- Flotation**
 selection of recovery zone height in flotation column design, 77
- Flow**
 on mass transfer, dispersion, and macroscopical flow maldistribution in packed tubes. Part I. Pressure drop and loading point, 389
 solid-liquid mass transfer in a fixed-bed reactor with concurrent flow. Part II. Mathematical analysis for the pulsed flow regime, 65
- Fluidized bed**
 bubble column and three phase fluidized beds: a comparison of axial dispersion and gas-liquid mass transfer by dynamic absorption, 149
 fluidized bed drying of materials wetted with a binary liquid mixture, 13
- Freeze-drying kinetics**
 vacuum freeze-drying of a liquid in a vial: determination of heat and mass transfer coefficients and optimisation of operating pressure, 245
- Fuzzy control**
 fuzzy control of a semi-batch copolymerization reactor, 327
- Gas pressure**
 gas pressure drop and heat dispersion in a layer of fibrous material, 327
- Gas recycling**
 gas recycling as a means of controlling the operation of cyclones, 345
- Graetz-Nusselt problem**
 pressure drop and heat transfer in shell-and-tube heat exchangers without baffles. Part I. The Graetz-Nusselt problem in a cylindrical shell containing a bundle of seven tubes, 99
- Heat dispersion**
 gas pressure drop and heat dispersion in a layer of fibrous material, 191
- Heat exchanger**
 gas to gas heat transfer in micro heat exchangers, 33
- Heat transfer**
 condensation of vapours of binary immiscible liquids, 263
 dynamic modelling of industrial SO₂ oxidation reactors. Part II. Model of a reverse-flow reactor, 233
 enhancement of heat transfer from air-fin coolers with water spray, 131
 gas to gas heat transfer in micro heat exchangers, 33
 high-intensity infrared drying study. Part 1. Case of capillary-porous material, 311
 high-intensity infrared drying study. Part 2. Case of thin coated films, 319
 parametric studies on heat and mass transfer in metal hydride beds, 217
 pressure drop and heat transfer in shell-and-tube heat exchangers without baffles. Part I. The Graetz-Nusselt problem in a cylindrical shell containing a bundle of seven tubes, 99
 the lumping of heat transfer parameters in cooled packed beds: effect of the bed entry, 83
 vacuum freeze-drying of a liquid in a vial: determination of heat and mass transfer coefficients and optimisation of operating pressure, 245
- Heptane**
 simultaneous mass transfer of heptane and toluene into a selective solvent, 201
- Hot start-up**
 dynamic modelling of industrial SO₂ oxidation reactors. Part I. Model of 'hot' and 'cold' start-ups of the plant, 111
- Hydrogenation**
 a kinetic study of the hydrogenation of ethyne and ethene on a commercial Pd/Al₂O₃ catalyst, 53
 mechanism and kinetics of the selective hydrogenation of ethyne and ethene, 1
- Incineration**
 progress in *reverse-process* application to catalytic incineration problems, 89

Infrared

- high-intensity infrared drying study. Part 1. Case of capillary-porous material, 311
- high-intensity infrared drying study. Part 2. Case of thin coated films, 319

Jet-agitated recycling reactor

- construction and application of a jet-stirred loop reactor, 255

Kinetics

- a kinetic study of the hydrogenation of ethyne and ethene on a commercial Pd/Al₂O₃ catalyst, 53
- mechanism and kinetics of the selective hydrogenation of ethyne and ethene, 1

Laminar flow

- pressure drop and heat transfer in shell-and-tube heat exchangers without baffles. Part I. The Graetz-Nusselt problem in a cylindrical shell containing a bundle of seven tubes, 99

Markov process

- filtration on precoat filters as a Markov process, 301

Mass transfer

- bubble column and three phase fluidized beds: a comparison of axial dispersion and gas-liquid mass transfer by dynamic absorption, 149
- condensation of vapours of binary immiscible liquids, 263
- high-intensity infrared drying study. Part 1. Case of capillary-porous material, 311
- high-intensity infrared drying study. Part 2. Case of thin coated films, 319
- on mass transfer, dispersion, and macroscopical flow maldistribution in packed tubes. Part 1. Pressure drop and loading point, 389
- parametric studies on heat and mass transfer in metal hydride beds, 217
- simultaneous mass transfer of heptane and toluene into a selective solvent, 201
- solid-liquid mass transfer in a fixed-bed reactor with concurrent flow. Part II. Mathematical analysis for the pulsed flow regime, 65
- the influence of mass transfer on the electrochemical synthesis of adiponitrile, 253
- vacuum freeze-drying of a liquid in a vial: determination of heat and mass transfer coefficients and optimisation of operating pressure, 245

Mechanism

- mechanism and kinetics of the selective hydrogenation of ethyne and ethene, 1

Metal hydride beds

- parametric studies on heat and mass transfer in metal hydride beds, 217

Methanation

- steam reforming and methanation effectiveness factors using the dusty gas model under industrial conditions, 177

Methane

- application of sensitivity analysis to the reduction of a complex kinetic model for the homogeneous oxidative coupling of methane, 167

Microfiltration

- effect of physical parameters on the microfiltration of wine on a flat polymeric membrane, 379

Microwave drying

- determination of local moisture profiles during microwave and convective drying, 339

Moisture profiles

- determination of local moisture profiles during microwave and convective drying, 339

Multi-solute water

- column adsorption in multi-solute water, 291

N,N-Dimethylformamide

- simultaneous mass transfer of heptane and toluene into a selective solvent, 201

Octyl pyrophosphoric acid

- study of the stability of octyl pyrophosphoric acid (OPPA) solvent in the extraction of uranium from phosphoric acid, 273

Operating conditions

- fuzzy control of a semi-batch copolymerization reactor, 327

Operating pressure

- vacuum freeze-drying of a liquid in a vial: determination of heat and mass transfer coefficients and optimisation of operating pressure, 245

Oxidation reactors

- dynamic modelling of industrial SO₂ oxidation reactors. Part II. Model of a reverse-flow reactor, 233

Oxidative coupling

- application of sensitivity analysis to the reduction of a complex kinetic model for the homogeneous oxidative coupling of methane, 167

Packed beds

- the lumping of heat transfer parameters in cooled packed beds: effect of the bed entry, 83

Packed tubes

- on mass transfer, dispersion, and macroscopical flow maldistribution in packed tubes. Part 1. Pressure drop and loading point, 389

Paper drying

- through drying of paper. Part I. Suction drum design from constant air flow rate data, 155
- through drying of paper. Part II. Additives in the air improve product quality, 161

Parameter fitting

- column adsorption in multi-solute water, 291

Particle breakdown

- breakdown of particles into flow during filtration on precoat filters, 209

- filtration on precoat filters as a Markov process, 301

Phenomenological equations

- simultaneous mass transfer of heptane and toluene into a selective solvent, 201

Phosphoric acid

- study of the stability of octyl pyrophosphoric acid (OPPA) solvent in the extraction of uranium from phosphoric acid, 273

Pneumatic transport

- experimental investigations on dense-phase pneumatic transport system, 141

Pollutant adsorption

- pollutant adsorption during activated carbon and steam regeneration in technical columns (experiment, modelling). Part 1. Influence of radial maldistribution in activated carbon beds during adsorption and desorption of air pollutant, 359
- pollutant adsorption during activated carbon and steam regeneration in technical columns (experiments, modelling). Part 2. Influence of process parameters during steam regeneration of activated carbon beds on pollutant exit concentration, 369

- Polymeric membrane**
effect of physical parameters on the microfiltration of wine on a flat polymeric membrane, 379
- Powder material transport**
experimental investigations on dense-phase pneumatic transport system, 141
- Power consumption**
experimental studies of power consumption for agitated vessel equipped with non-standard baffles and high-speed agitator, 349
- Precoat filters**
breakdown of particles into flow during filtration on precoat filters, 209
filtration on precoat filters as a Markov process, 301
- Pressure drop**
pressure drop and heat transfer in shell-and-tube heat exchangers without baffles. Part I. The Graetz–Nusselt problem in a cylindrical shell containing a bundle of seven tubes, 99
- Product quality**
through drying of paper. Part II. Additives in the air improve product quality, 161
- Purification**
progress in *reverse-process* application to catalytic incineration problems, 89
- Reduction**
application of sensitivity analysis to the reduction of a complex kinetic model for the homogeneous oxidative coupling of methane, 167
- Reverse-flow reactors**
dynamic modelling of industrial SO₂ oxidation reactors. Part II. Model of a reverse-flow reactor, 233
- Reverse-process purification**
progress in *reverse-process* application to catalytic incineration problems, 89
- Sensitivity analysis**
application of sensitivity analysis to the reduction of a complex kinetic model for the homogeneous oxidative coupling of methane, 167
- Single-drop apparatus**
simultaneous mass transfer of heptane and toluene into a selective solvent, 201
- SO₂ oxidation reactors**
dynamic modelling of industrial SO₂ oxidation reactors. Part I. Model of 'hot' and 'cold' start-ups of the plant, 111
- Stability studies**
study of the stability of octyl pyrophosphoric acid (OPPA) solvent in the extraction of uranium from phosphoric acid, 273
- Startup**
experimental and theoretical studies of the dynamics of startup and product switchover operations of distillation columns, 283
- Steady state**
experimental and theoretical studies of the dynamics of startup and product switchover operations of distillation columns, 283
- Steam reforming**
steam reforming and methanation effectiveness factors using the dusty gas model under industrial conditions, 177
- Steam regeneration**
pollutant adsorption during activated carbon and steam regeneration in technical columns (experiment, modelling). Part 1. Influence of radial maldistribution in activated carbon beds during adsorption and desorption of air pollutants, 359
pollutant adsorption during activated carbon and steam regeneration in technical columns (experiment, modelling). Part 2. Influence of process parameters during steam regeneration of activated carbon beds on pollutant exit concentration, 369
- Suction drums**
through drying of paper. Part I. Suction drum design from constant air flow rate data, 155
- Technical columns**
pollutant adsorption during activated carbon and steam regeneration in technical columns (experiment, modelling). Part 1. Influence of radial maldistribution in activated carbon beds during adsorption and desorption of air pollutants, 359
pollutant adsorption during activated carbon and steam regeneration in technical columns (experiment, modelling). Part 2. Influence of process parameters during steam regeneration of activated carbon beds on pollutant exit concentration, 369
- Thermal conductivity**
parametric studies on heat and mass transfer in metal hydride beds, 217
- Thermal resistance**
enhancement of heat transfer from air-fin coolers with water spray, 131
- Through drying**
through drying of paper. Part I. Suction drum design from constant air flow rate data, 155
through drying of paper. Part II. Additives in the air improve product quality, 161
- Toluene**
simultaneous mass transfer of heptane and toluene into a selective solvent, 201
- Uranium extraction**
study of the stability of octyl pyrophosphoric acid (OPPA) solvent in the extraction of uranium from phosphoric acid, 273
- Vacuum freeze-drying**
vacuum freeze-drying of a liquid in a vial: determination of heat and mass transfer coefficients and optimisation of operating pressure, 245
- Vapour condensation**
condensation of vapours of binary immiscible liquids, 263
- Water spraying**
enhancement of heat transfer from air-fin coolers with water spray, 131